

## HL 7000

### Electro-acoustic leak detection with ground microphone, sensor rod and tracer gas



#### Special features:

- Completely wireless thanks to Bluetooth®
- Intuitive operation with clear touch colour display
- Always ready to use due to powerful lithium-ion rechargeable batteries
- Integrated GPS receiver
- Environmental/extraneous noise reduction
- Frequency analysis
- Optional: Connection of a tracer gas sensor

#### Description

The HL 7000 ground noise system provides you with a wide range of options for locating leaks thanks to the variable design and the automatic 360° sensor recording. Work assignments lasting more than 10 hours are no problem thanks to the powerful lithium-ion rechargeable batteries.

The Bluetooth® capable, wind-protected piezoelectric ground microphone with integrated pre-amplification clearly picks up extremely low leakage frequencies on soft materials such as PVC or PE, and

also high frequencies on steel or cast iron pipes.

[Download brochure](#)

[Download datasheet](#)

Pictures

•



•



•



Video


## **Application video**

User manual


 [User guide HL 7000 \(2.2 MB\)](#)

Software

### **Firmware HLE 7000**

 [V 1.7.0 \(21.9 MB\)](#)

### **HydroluxView HL 7000**

 [Version 1.1.0 \(32.0 MB\)](#)

Accessories



PAM T-7



PAM H-7



Foot traverse



PAM CORR-2