

PocketServer

Digital logger interface for data management



Special features:

- Programming and read-out of all SebaKMT loggers
- Installation and maintenance of noise logger networks*
- Offline correlation with C-3 multisensors**
- Data transfer to FTP server using LTE / UMTS Sticks***

* Network module prev. Mid-2018

** Correlator module prev. End of 2018

*** LTE / UMTS stick optional

Description

The SebaKMT PocketServer-3 is a compact digital interface that fits comfortably in your pocket. It is now the key element in the logger product portfolio and is thus compatible with all popular SebaKMT data loggers of the 3-series product family, such as N-3, D-3, P-3, P-3-mini, GT-3 or GT-3-S. Use the full range of functions comfortably and intuitively with the optionally available IP68 outdoor tablet.

The performance spectrum of the PocketServer-3 offers the possibility to program and read-out loggers and transmitters. In addition to reading and programming the GT-3 and GT-3-S GSM transmitters, the Network-Module will also provide the user with the ability to install or maintain the N-3 Noise- Logger-Networks. The PocketServer-3 thus follows the footsteps of the Commander CDR-3. In addition, the Correlator-Module will be able to easily perform offline correlations quickly and easily with the help of

the globally successful multi-sensors COR MS-3.

To operate the PocketServer-3, all WiFi-enabled devices such as smartphones or tablets, regardless of their operating systems, can be used. At the end of the day, the measured data can be transferred via USB stick to the PC software SDV-3, or with the help of LTE / UMTS sticks directly to an FTP server.

[Download datasheet](#)

Pictures

•



•



•



